

TBP Converting, Inc. V2800 SDS

Safety Data Sheet

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: NORBOND-PUR (Polyurethane) Foam Bonding Tapes (formerly known as

Normount, Solarbond and EZ clad) and Thermalbond (glazing Spacers). Pertains to the following product series: V1300, V2000, V2100, V2200, V2700, V2800, V2900, V3100, V3900, V7000, V7200, V8000, V8800, V9000, TBX, OP5C, OP7, OP44, OP45, OP46,

EZU3000, E500, and Z500

MANUFACTURER: Saint-Gobain Performance Plastics, 1 Sealants Park, Granville, NY 12832

Phone (518) 642-2200, Fax (518) 642-1792

EMERGENCY TELEPHONE NUMBER: CHEMTREC 800-424-9300

Issue Date: 07/16/2015 Supersedes: 05/29/2015

Product Use: Attachment/Reinforcement

Intended Use: Industrial Use

SECTION 2: INGREDIENTS

This material is produced as an "article" as defined in 29 CFR 1910.1200 and REGULATION (EC) № 1907/2006 is therefore exempt from the Hazard Communication Standard and REACH. Since this material does not release and will not result in exposure to a hazardous chemical under normal conditions of use, no Safety Data Sheet is required. This form is provided as a convenience to our customers.

SECTION 3: HAZARDS IDENTIFICATION

3.1 EMERGENCY OVERVIEW

Specific Physical Form: Roll of tape

Odor, Color, Grade: Soft solid foam tape

Immediate health, physical, and environmental hazards: The environmental properties of this product present a low environmental hazard. This product, when used under reasonable conditions and in accordance with directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

3.2 POTENTIAL HEALTH EFFECTS

Eye Contact: No health effects are expected.
Skin Contact: No health effects are expected.
Inhalation: No health effects are expected.
Ingestion: No health effects are expected.

SECTION 4: FIRST AID MEASURES

4.1 FIRST AID PROCEDURES

The following first aid recommendations are based on an assumption that appropriate personal and industrial hygiene practices are followed.

Eye Contact: No need for first aid is anticipated.

SECTION 5: FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES

Autoignition temperature

Flash Point

Flammable Limits (LEL)

Flammable Limits (UEL)

Not Applicable

Not Applicable

Not Applicable

5.2 EXTINGUISHING MEDIA

Use fire extinguishers with class B extinguishing agents (e.g. dry chemical, carbon dioxide).

5.3 PROTECTION OF FIRE FIGHTERS

Special Fire Fighting Procedures: Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

Unusual Fire and Explosion Hazards: No unusual fire or explosion hazards are anticipated.

Note: See STABILITY AND REACTIVITY (SECTION 10) for hazardous combustion and thermal decomposition information.

SECTION 6: ACCCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures: Not Applicable
- 6.2 Environmental precautions: Reclaim undamaged product.
- 6.3 Clean-up methods: Collect as much of the spilled material as possible.

SECTION 7: HANDLING AND STORAGE

- 7.1 HANDLING: This product is considered to be an article, which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.
- 7.2 STORAGE: Not Applicable

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 ENGINEERING CONTROLS: Not Applicable
8.2 PERSONAL PROTECTIVE EQUIPMENT (PPE)

8.2.1 Eye/Face Protection: Avoid eye contact.

8.2.2 Skin Protection: Avoid prolonged or repeated skin contact.
8.2.3 Respiratory Protection: Under normal use conditions, airborne exposure

2.3 Respiratory Protection: Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

8.2.4 Prevention of Swallowing: Not an expected route of exposure.

8.3 EXPOSURE GUIDELINES: None Established.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Specific Physical Form: Solid, cellular urethane foam

Odor, Color, Grade: Soft solid foam tape

General Physical Form: Solid

Autoignition Temperature: Not Applicable Flash Point: Not Applicable Flammable Limits (LEL): Not Applicable Flammable Limits (UEL): Not Applicable **Boiling Point:** Not Applicable Density: Not Applicable Vapor Density: Not Applicable Vapor Pressure: Not Applicable Specific Gravity: Not Applicable pH: Not Applicable Melting Point: Not Applicable

Solubility in Water: Nil

Evaporation Rate:

Volatile Organic Compounds:

Percent Volatile:

VOC Less H2O & Exempt Solvents:

Viscosity:

Not Applicable

Not Applicable

Not Applicable

Not Applicable

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable.

Materials and Conditions to Avoid:

10.1 Conditions to Avoid: None known 10.2 Materials to Avoid: None known

Hazard Polymerization: Hazardous polymerization will not occur.

Hazard Decomposition or By-Products:

<u>Substance</u> <u>Condition</u>

Hydrocarbons During Combustion
Carbon monoxide During Combustion
Carbon dioxide During Combustion

Hazardous Decomposition: Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation,

heating, or reaction with another material.

SECTION 11: TOXICOLOGICAL INFORMATION

Please contact Saint-Gobain for toxicological information on this material and/or its components.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological Information: Not determined. Chemical Fate Information: Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Method: Reclaim if feasible. If product can't be reclaimed, dispose of waste product in a sanitary landfill. Alternatively, incinerate the waste product in an industrial, commercial, or municipal incinerator.

Since regulations vary, consult applicable regulations or authorities before disposal

SECTION 14: TRANSPORT INFORMATION

Not regulated per U.S. DOT, IATA, or IMO.

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. These transportation classifications are based on product formulation, packaging, Saint-Gobain policies and Saint-Gobain's understanding of applicable current regulations. Saint-Gobain does not guarantee the accuracy of this classification information. This information applies only to transportation classification and <u>not</u> the packaging, labeling, or marking requirements. The original Saint-Gobain package is certified for U.S. ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS: Contact Saint-Gobain for more information

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

STATE REGULATIONS:

Proposition 65 Warning: This product may contain a chemical known to the State of California to cause cancer and/or other reproductive harm.

CHEMICAL INVENTORIES: This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements. Contact Saint-Gobain for more information.

INTERNATIONAL REGULATIONS: Contact Saint-Gobain for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: OTHER INFORMATION

NFPA Hazard Classification: Health: 0 Flammability: 1 Reactivity: 0 Special Hazards: None